

WATER HEATER
RANGE



TM

STELLAR

New Days , New Ways.



ENGINEERED FOR
HARD WATER

FASTER | SAFER | SAVES

WHY HAVELLS WATER HEATER?



FASTER



SAFER



SAVES



LONG LIFE

FASTER

Havells water heaters save your precious time with fast heating. With Less wait time – enjoy the convenience of hot water whenever you need it.



MAGNATRON WATER HEATER

10 min - 12 min or 25% faster heating in Magnatron Water Heater because of patented induction technology. No Heating element inside water Heater, Minimal scaling and uniform heating throughout life of water Heater.



3-IN-1 CONVERTIBLE DUAL ELEMENT WATER HEATER

33% faster heating in Dual element Water heater because of 2 heating elements. 3 Heating models of 1 kW, 2 kW and 3 kW. For faster Heating water heater can be operated at 3 kW.



INCOLOY GLASS COATED HEATING ELEMENT

Incoloy glass coated heating element resist corrosion against extreme hard water conditions & helps in providing superior & fast heating with minimal scaling.



MCOLOY HEATING ELEMENT

Mcoloy Heating element provides quick heating and high performance with its excellent heat transfer ability and enhanced durability.

SAFER

Safety is paramount when it comes to water heaters. A safe water heater protects you and your family from potential hazards like overheating, electrical issues, and scalding. Peace of mind comes from knowing Havells water heater is designed with top-notch safety features.



SHOCK SAFE PLUG*

India's first integrated shock safe plug is designed to prevent injury to humans due to electric shocks, the plug will cut off the power immediately in case of any current leakage.



0.8 MPa HIGH WORKING PRESSURE

Suitable for high rise buildings. The multi function valve prevents pressure to increase beyond 8 bar.



FIRE RETARDANT POWER CORD

It resist ignition and prevents fire spread, ensuring enhanced safety during water heating.



WATER RESISTANCE AND SPLASH PROOF (IPX4)

Ensures high level of protection for electrical parts from water splashing



HIGH PRECISION THERMOSTAT & CUT OUT

Controls Water Temperature & Prevents the Water Heater from overheating by activating and deactivating the Heating element



DUAL SAFETY ADAPTER

Protects against fire and electric shock by ensuring safe current flow.

*Available in selected models.

SAVES

Energy efficiency in water heaters translates to significant savings on your Electricity bills. Havells water heater saves energy not only reduces your expenses but also minimizes your environmental footprint, making it a smart and eco-friendly choice.



MAGNATRON: Rs. 30 000/- SAVING IN 5 YEAR SPAN:

Reduction in heating time by 10 min -12 min because of Induction technology results 25% less yearly electricity consumption. Uniform heating throughout the lifespan of Water Heater because of No Heating element & Minimal scaling further adds to energy saving.




MAGNATRON PRO: DUAL LED INDICATOR (WARM & HOT):

The Dual LED indicator displays water temperature levels—yellow at 55 °C (warm) and red at 75 °C (hot). Energy can be saved by using warm water if higher temperature isn't needed.




DUAL ADJUSTABLE KNOBS IN CONVERTIBLE (DUAL ELEMENT) WATER HEATER:

The temperature & Wattage setting knob lets users adjust temperature & power to their comfort level, ensuring personalized warmth and energy-efficient usage



HIGH DENSITY PUF INSULATION

CFC free thicker PUF insulation offers complete protection against radiant heat loss, reduces energy consumption and provides higher energy efficiency.



WHIRLFLOW TECHNOLOGY

It avoids direct contact between cold and hot water flow for a faster heating and optimized energy saving effecting 20% more hot water output.

LONG LIFE

A durable water heater means fewer replacements and repairs, providing long-term reliability and cost savings. Havells water heater ensures a long lifespan, consistent performance and peace of mind for years to come.



FEROGLAS COATED INNER CONTAINER

Provides superior corrosion resistance and 'anti-rust property' resulting in longer life compared to standard inner container designs, also able to withstand high pressure up to 8 bar.



HEAVY DUTY PROTECTIVE ANODE ROD

The tank has an anode rod with a stainless-steel core that is designed to protect the tank from corrosive elements.

***STORAGE
WATER HEATER***

MAGNATRON PRIME

ELECTRIC STORAGE WATER HEATER



NEW



Saves
Rs. 30 000/-
IN 5 YEAR SPAN



Patented
Technology

25%*
**FASTER
HEATING**

CAPACITY : 15 L & 25 L

COLOR : WHITE BLUE



2

YEAR
COMPREHENSIVE
WARRANTY

5

YEAR WARRANTY
ON INDUCTION
COIL

7

YEAR PRODUCT
REPLACEMENT
WARRANTY*

FASTER

SAFER

SAVES

LONG LIFE

SMART



Induction
Technology



No Heating
Element



25%
Energy Saving



Ferroglass
Coated Inner
Container



Remote
control Easy
operation



Scaling
Resistant



Dry Heat
Protection



High Density
PUF Insulation



Heavy Duty
Protective
Anode Rod



Smart Mode
Setting



Fire Retardant
Power Cord



Whirlflow
Technology



Long lasting
Heating
efficiency



Eco Mode






High Working
Pressure
0.8 MPa



Digital
Temperature
Display



Dual Safety
Adapter



Model	A	B	C	D
Magnatron Prime 15 L	380 mm	501 mm	374 mm	62 mm
Magnatron Prime 25 L	400 mm	560 mm	413 mm	62 mm

MAGNATRON PRO

ELECTRIC STORAGE WATER HEATER



NEW



Saves
Rs. 30 000/-
IN 5 YEAR SPAN



Patented
Technology

25%*
**FASTER
HEATING**

CAPACITY : 15 L & 25 L

COLOR : WHITE BLUE



2

YEAR
COMPREHENSIVE
WARRANTY

5

YEAR WARRANTY
ON INDUCTION
COIL

7

YEAR PRODUCT
REPLACEMENT
WARRANTY*

FASTER

SAFER

SAVES

LONG LIFE



Induction
Technology



No Heating
Element



25%
Energy Saving



Ferroglas
Coated Inner
Container



Scaling
Resistant



Dry Heat
Protection



Dual LED Indicator
(Warm & Hot)



Heavy Duty
Protective
Anode Rod



Fire Retardant
Power Cord



High Density PUF
Insulation






Long lasting
Heating
efficiency



High Working
Pressure
0.8 MPa



Whirlflow
Technology



Model	A	B	C	D
Magnatron Pro 15 L	380 mm	501 mm	374 mm	62 mm
Magnatron Pro 25 L	400 mm	560 mm	413 mm	62 mm

ENGINEERED FOR HARD WATER

*In case of Tank Leakage.

NEW

CONVERTIBLE WATER HEATER



WITH 3 HEATING MODES
1 kW | 2 kW | 3 kW

33%
FASTER
HEATING

CAPACITY : 10 L, 15 L & 25 L

COLOR : WHITE BLUE



2 YEAR
COMPREHENSIVE
WARRANTY



5 YEAR WARRANTY
ON HEATING
ELEMENT



7 YEAR PRODUCT
REPLACEMENT
WARRANTY*

FASTER

SAFER

SAVES

LONG LIFE



Dual Element With
3 Heating Modes



Shock Safe
Plug



High
Density PUF
Insulation



Ferroglass Coated
Inner Container



Incoloy Glass
Coated Heating
Element



Fire Retardant
Power Cord



Whirlflow
Technology



Heavy Duty
Protective
Anode Rod






High Working
Pressure
0.8 MPa



Dual
Adjustable
Knobs



Dual Safety
Adapter



Model	A	B	C	D
BIANCA+ 10 L	412 mm	420 mm	271 mm	172 mm
BIANCA+ 15 L	412 mm	420 mm	340 mm	172 mm
BIANCA+ 25 L	466 mm	476 mm	377 mm	172 mm

ORAZIO⁺

Dual Element

ELECTRIC STORAGE WATER HEATER

NEW

CONVERTIBLE WATER HEATER

WITH 3 HEATING MODES
1 kW | 2 kW | 3 kW

33%
FASTER
HEATING



CAPACITY : 10 L, 15 L & 25 L

COLOR : WHITE GREY



2 YEAR
COMPREHENSIVE
WARRANTY

5 YEAR WARRANTY
ON HEATING
ELEMENT

7 YEAR PRODUCT
REPLACEMENT
WARRANTY*

FASTER

SAFER

SAVES

LONG LIFE



Dual Element
With 3 Heating
Modes



Fire Retardant
Power Cord



High Density
PUF Insulation



Ferroglass Coated
Inner Container



Incoloy Glass
Coated Heating
Element



High Working
Pressure
0.8 MPa



Whirlflow
Technology



Heavy Duty
Protective
Anode Rod






High Precision
Thermostat &
Cut Out



Dual Adjustable
Knobs



Dual Safety
Adapter



Model	A	B	C	D
ORAZIO ⁺ 10 L	425 mm	425 mm	289 mm	68 mm
ORAZIO ⁺ 15 L	425 mm	425 mm	345 mm	68 mm
ORAZIO ⁺ 25 L	482 mm	482 mm	373 mm	68 mm

ENGINEERED FOR HARD WATER

*In case of Tank Leakage.

NEW

CONVERTIBLE WATER HEATER

WITH 3 HEATING MODES
1 kW | 2 kW | 3 kW

33%
FASTER
HEATING



CAPACITY : 10 L, 15 L & 25 L

COLOR : WHITE BLUE



2 YEAR
COMPREHENSIVE
WARRANTY



5 YEAR WARRANTY
ON HEATING
ELEMENT



7 YEAR PRODUCT
REPLACEMENT
WARRANTY*

FASTER

SAFER

SAVES

LONG LIFE



Dual Element With
3 Heating Modes



Fire Retardant
Power Cord



High Density
PUF Insulation



Feroglas Coated
Inner Container



Incoloy Glass
Coated Heating
Element



High Working
Pressure 0.8 MPa



Whirlflow
Technology



Heavy Duty
Protective
Anode Rod






High Precision
Thermostat &
Cut Out



Dual
Adjustable
Knobs



Dual Safety
Adapter



Model	A	B	C	D
VALERIO ⁺ 10 L	412 mm	420 mm	271 mm	172 mm
VALERIO ⁺ 15 L	412 mm	420 mm	340 mm	172 mm
VALERIO ⁺ 25 L	466 mm	476 mm	377 mm	172 mm

Velora⁺ Dual Element

ELECTRIC STORAGE WATER HEATER



NEW

CONVERTIBLE WATER HEATER

WITH 3 HEATING MODES
1 kW | 2 kW | 3 kW

33%
FASTER
HEATING

CAPACITY : 10 L, 15 L & 25 L

COLOR : WHITE BLUE



YEAR
COMPREHENSIVE
WARRANTY



YEAR WARRANTY
ON HEATING
ELEMENT



YEAR PRODUCT
REPLACEMENT
WARRANTY*

FASTER

SAFER

SAVES

LONG LIFE



Dual Element
With 3 Heating
Modes



Fire Retardant
Power Cord



High Density
PUF Insulation



Ferroglass Coated
Inner Container



Incoloy Glass
Coated Heating
Element



High Working
Pressure
0.8 MPa



Whirlflow
Technology



Heavy Duty
Protective
Anode Rod





High Precision
Thermostat &
Cut Out



Dual
Adjustable
Knobs



Dual Safety
Adapter



Model	A	B	C	D
VELORA ⁺ 10 L	328 mm	426 mm	352 mm	163 mm
VELORA ⁺ 15 L	328 mm	526 mm	352 mm	163 mm
VELORA ⁺ 25 L	378 mm	564 mm	405 mm	163 mm

ENGINEERED FOR HARD WATER

*In case of Tank Leakage.

CONVERTIBLE WATER HEATER

WITH 3 HEATING MODES
1 kW | 2 kW | 3 kW

**33%
FASTER
HEATING**



CAPACITY : 10 L, 15 L & 25 L COLOR : WHITE BLUE



2 YEAR
COMPREHENSIVE
WARRANTY



5 YEAR WARRANTY
ON HEATING
ELEMENT



7 YEAR PRODUCT
REPLACEMENT
WARRANTY*

FASTER

SAFER

SAVES

LONG LIFE



Dual Element
With 3 Heating
Modes



Fire Retardant
Power Cord



High Density
PUF Insulation



Ferroglass Coated
Inner Container



Incoloy Glass
Coated Heating
Element



High Working
Pressure
0.8 MPa



Whirlflow
Technology



Heavy Duty
Protective
Anode Rod






High Precision
Thermostat &
Cut Out



Dual
Adjustable
Knobs



Dual Safety
Adapter



Model	A	B	C	D
PURO+ 10 L	318 mm	473 mm	304 mm	62 mm
PURO+ 15 L	329 mm	497 mm	330 mm	62 mm
PURO+ 25 L	370 mm	578 mm	370 mm	62 mm



CAPACITY : 15 L & 25 L

COLOR : WHITE



2 YEAR
COMPREHENSIVE
WARRANTY



4 YEAR WARRANTY
ON HEATING
ELEMENT



7 YEAR PRODUCT
REPLACEMENT
WARRANTY*

FASTER

SAFER

SAVES

LONG LIFE

CONVENIENCE



Incoloy Glass
Coated Heating
Element



Shock Safe
Plug



High
Density PUF
Insulation



Ferroglass
Coated Inner
Container



Patented
Temperature
sensing LED
Indicator



Fire Retardant
Power Cord



Whirlflow
Technology



Heavy Duty
Protective
Anode Rod



Remote Control
Easy operation



High Working
Pressure 0.8 MPa





Digital
Temperature
display



Dual Safety
Adapter



Feather
TouchControl
Panel



Model	A	B	C	D
ADONIA R 15 L	390 mm	390 mm	358 mm	67 mm
ADONIA R 25 L	453 mm	453 mm	394 mm	67 mm



CAPACITY : 15 L & 25 L COLOR : WHITE



2 YEAR
COMPREHENSIVE
WARRANTY

4 YEAR WARRANTY
ON HEATING
ELEMENT

7 YEAR PRODUCT
REPLACEMENT
WARRANTY*

FASTER

SAFER

SAVES

LONG LIFE

CONVENIENCE



Incoloy Glass
Coated Heating
Element



Shock Safe
Plug



High Density
PUF Insulation



Ferroglass Coated
Inner Container



Remote
control Easy
operation



Fire Retardant
Power Cord



Whirlflow
Technology



Heavy Duty
Protective
Anode Rod



Smart Mode
Setting



High Working
Pressure 0.8 MPa





Eco Mode



Dual Safety
Adapter



Digital
Temperature
Display



Model	A	B	C	D
ORIZZONTE 15 L	600 mm	330 mm	351 mm	381 mm
ORIZZONTE 25 L	812 mm	335 mm	367 mm	390 mm



CAPACITY : 10 L, 15 L & 25 L

COLOR : SILVER GREY



2 YEAR
COMPREHENSIVE
WARRANTY

4 YEAR WARRANTY
ON HEATING
ELEMENT

7 YEAR PRODUCT
REPLACEMENT
WARRANTY*

FASTER

SAFER

SAVES

LONG LIFE

CONVENIENCE



Incoloy Glass
Coated Heating
Element



Shock Safe
Plug



High Density
PUF Insulation



Ferroglass Coated
Inner Container



Patented Color
Changing LED
Indicator



Fire Retardant
Power Cord



Whirlflow
Technology



Heavy Duty
Protective
Anode Rod






High Working
Pressure
0.8 MPa



Temperature
setting knob



Dual Safety
Adapter



Model	A	B	C	D
OTTO 10 L	427 mm	427 mm	270 mm	68 mm
OTTO 15 L	427 mm	427 mm	328 mm	68 mm
OTTO 25 L	484 mm	484 mm	360 mm	68 mm



CAPACITY : 10 L, 15 L & 25 L

COLOR : WHITE CHAMPAGNE GOLD



2 YEAR COMPREHENSIVE WARRANTY



4 YEAR WARRANTY ON HEATING ELEMENT



7 YEAR PRODUCT REPLACEMENT WARRANTY*

FASTER

SAFER

SAVES

LONG LIFE

CONVENIENCE



Incoloy Glass Coated Heating Element



Shock Safe Plug



High Density PUF Insulation



Ferroglass Coated Inner Container



Patented Color Changing LED Indicator



Fire Retardant Power Cord



Whirlflow Technology



Heavy Duty Protective Anode Rod






High Working Pressure 0.8 MPa



Temperature setting knob



Dual Safety Adapter



Model	A	B	C	D
OTTO PRIME 10 L	427 mm	427 mm	270 mm	68 mm
OTTO PRIME 15 L	427 mm	427 mm	328 mm	68 mm
OTTO PRIME 25 L	484 mm	484 mm	360 mm	68 mm

ORAZIO Prime

ELECTRIC STORAGE WATER HEATER



CAPACITY : 10 L, 15 L & 25 L

COLOR : WHITE GREY



2 YEAR
COMPREHENSIVE
WARRANTY



4 YEAR WARRANTY
ON HEATING
ELEMENT



7 YEAR PRODUCT
REPLACEMENT
WARRANTY*

FASTER

SAFER

SAVES

LONG LIFE



Mcoley Heating
Element



Fire Retardant
Power Cord



High Density
PUF Insulation



Ferroglass Coated
Inner Container



High Working
Pressure
0.8 MPa



Whirlflow
Technology



Heavy Duty
Protective
Anode Rod






High Precision
Thermostat &
Cut Out



Temperature
setting knob



Dual Safety
Adapter



Model	A	B	C	D
ORAZIO PRIME 10 L	425 mm	425 mm	289 mm	68 mm
ORAZIO PRIME 15 L	425 mm	425 mm	345 mm	68 mm
ORAZIO PRIME 25 L	482 mm	482 mm	373 mm	68 mm

ENGINEERED FOR HARD WATER

*In case of Tank Leakage.

Greta Prime

ELECTRIC STORAGE WATER HEATER

NEW



CAPACITY : 10 L, 15 L & 25 L

COLOR : WHITE BLUE,
WHITE CHAMPAGNE GOLD



2 YEAR
COMPREHENSIVE
WARRANTY



4 YEAR WARRANTY
ON HEATING
ELEMENT



7 YEAR PRODUCT
REPLACEMENT
WARRANTY*

FASTER

SAFER

SAVES

LONG LIFE



Mcoloy Heating
Element



Fire Retardant
Power Cord



High Density
PUF Insulation



Ferroglass Coated
Inner Container



High Working
Pressure
0.8 MPa



Whirlflow
Technology



Heavy Duty
Protective
Anode Rod






High Precision
Thermostat &
Cut Out




Temperature
setting knob



Dual Safety
Adapter



Model	A	B	C	D
GRETA PRIME 10 L	411 mm	410 mm	298 mm	68 mm
GRETA PRIME 15 L	411 mm	410 mm	356 mm	68 mm
GRETA PRIME 25 L	468 mm	466 mm	398 mm	68 mm



CAPACITY : 10 L, 15 L & 25 L

COLOR : WHITE



2 YEAR
COMPREHENSIVE
WARRANTY



4 YEAR WARRANTY
ON HEATING
ELEMENT



7 YEAR PRODUCT
REPLACEMENT
WARRANTY*

FASTER

SAFER

SAVES

LONG LIFE



Mcoloy Heating
Element



Fire Retardant
Power Cord



High Density
PUF Insulation



Ferroglass Coated
Inner Container



High Working
Pressure
0.8 MPa



Whirlflow
Technology



Heavy Duty
Protective
Anode Rod






High Precision
Thermostat &
Cut Out



Jog Dial Type
Temperature
setting Knob



Dual Safety
Adapter




Model	A	B	C	D
PURO NU 10 L	320 mm	384 mm	323 mm	62 mm
PURO NU 15 L	339 mm	526 mm	345 mm	62 mm
PURO NU 25 L	379 mm	620 mm	408 mm	62 mm

FABIA

SLIM

ELECTRIC STORAGE WATER HEATER



AVAILABLE IN LH & RH CONFIGURATION

CAPACITY : 10 L, 15 L & 25 L

COLOR : WHITE BLUE



2 YEAR
COMPREHENSIVE
WARRANTY



4 YEAR WARRANTY
ON HEATING
ELEMENT



7 YEAR PRODUCT
REPLACEMENT
WARRANTY*

FASTER



Incoloy Glass
Coated Heating
Element

SAFER



Fire Retardant
Power Cord

SAVES



High Density
PUF Insulation

LONG LIFE



Ferroglass Coated
Inner Container



High Working
Pressure
0.8 MPa



Whirlflow
Technology



Heavy Duty
Protective
Anode Rod




High Precision
Thermostat &
Cut Out



Temperature
setting knob



Dual Safety
Adapter



Model	A	B	C	D
FABIA SLIM 10 L	311 mm	425 mm	190 mm	217 mm
FABIA SLIM 15 L	311 mm	555 mm	320 mm	217 mm
FABIA SLIM 25 L	322 mm	720 mm	250 mm	217 mm

Carlo

ELECTRIC STORAGE WATER HEATER



CAPACITY : 15 L & 25 L

COLOR : WHITE CHAMPAGNE GOLD



2 YEAR
COMPREHENSIVE
WARRANTY



4 YEAR WARRANTY
ON HEATING
ELEMENT



7 YEAR PRODUCT
REPLACEMENT
WARRANTY*

FASTER

SAFER

SAVES

LONG LIFE

CONVENIENCE



Mcology
Heating
Element



Fire Retardant
Power Cord



High Density
PUF Insulation



Feroglas
Coated Inner
Container



Patented Color
Changing LED
Indicator



High Working
Pressure
0.8 MPa



Whirlflow
Technology






Heavy Duty
Protective
Anode Rod



High Precision
Thermostat &
Cut Out



Dual Safety
Adapter



Model	A	B	C	D
CARLO 15 L	498 mm	308 mm	288 mm	65 mm
CARLO 25 L	581 mm	380 mm	340 mm	65 mm

ENGINEERED FOR HARD WATER

*In case of Tank Leakage.



CAPACITY : 10 L, 15 L & 25 L

COLOR : WHITE BLUE



2 YEAR
COMPREHENSIVE
WARRANTY



4 YEAR WARRANTY
ON HEATING
ELEMENT



7 YEAR PRODUCT
REPLACEMENT
WARRANTY*

FASTER

SAFER

SAVES

LONG LIFE



Mcoley Heating
Element



Fire Retardant
Power Cord



High Density
PUF Insulation



Ferroglass Coated
Inner Container



High Working
Pressure
0.8 MPa



Whirlflow
Technology



Heavy Duty
Protective
Anode Rod





High Precision
Thermostat &
Cut Out




Temperature
setting knob



Dual Safety
Adapter



Model	A	B	C	D
VELORA PRIME 10 L	328 mm	426 mm	352 mm	163 mm
VELORA PRIME 15 L	328 mm	526 mm	352 mm	163 mm
VELORA PRIME 25 L	378 mm	564 mm	405 mm	163 mm



CAPACITY : 10 L, 15 L & 25 L

COLOR : WHITE BLUE



2 YEAR
COMPREHENSIVE
WARRANTY



4 YEAR WARRANTY
ON HEATING
ELEMENT



7 YEAR PRODUCT
REPLACEMENT
WARRANTY*

FASTER



Mcoloy Heating
Element

SAFER



Fire Retardant
Power Cord

SAVES



High Density
PUF Insulation

LONG LIFE



Ferroglass Coated
Inner Container



High Working
Pressure
0.8 MPa



Whirlflow
Technology





Heavy Duty
Protective
Anode Rod




High Precision
Thermostat &
Cut Out



Dual Safety
Adapter



Model	A	B	C	D
VELORA PRO 10 L	328 mm	401 mm	338 mm	163 mm
VELORA PRO 15 L	328 mm	501 mm	338 mm	163 mm
VELORA PRO 25 L	378 mm	553 mm	390 mm	163 mm



CAPACITY : 35 L, 50 L & 100 L COLOR : WHITE GREY



2 YEAR
COMPREHENSIVE
WARRANTY



4 YEAR WARRANTY
ON HEATING
ELEMENT



7 YEAR PRODUCT
REPLACEMENT
WARRANTY*

FASTER



Incoloy Glass
Coated Heating
Element

SAFER



Fire Retardant
Power Cord

SAVES



High Density
PUF Insulation

LONG LIFE



Ferroglass Coated
Inner Container



High Working
Pressure
0.8 MPa



Whirlflow
Technology



Heavy Duty
Protective
Anode Rod





High Precision
Thermostat &
Cut Out




Temperature
setting knob



Dual Safety
Adapter



Model	A	B	C	D
MONZA NU 35 L	411 mm	616 mm	435 mm	217 mm
MONZA NU 50 L	461 mm	652 mm	486 mm	217 mm
MONZA NU 100 L	461 mm	1070 mm	486 mm	217 mm



CAPACITY : 50 L COLOR : WHITE GREY



2

YEAR
COMPREHENSIVE
WARRANTY

4

YEAR WARRANTY
ON HEATING
ELEMENT

7

YEAR PRODUCT
REPLACEMENT
WARRANTY*

FASTER

SAFER

SAVES

LONG LIFE



Incoloy Glass
Coated Heating
Element



Fire Retardant
Power Cord



High Density
PUF Insulation



Ferroglass Coated
Inner Container



High Working
Pressure
0.8 MPa



Whirlflow
Technology



Heavy Duty
Protective
Anode Rod





High Precision
Thermostat &
Cut Out



Temperature
setting knob



Dual Safety
Adapter



Model	A	B	C	D
MONZA DX CF 50 L	476 mm	600 mm	525 mm	163 mm



CAPACITY : 6 L

COLOR : WHITE BLUE



2 YEAR
COMPREHENSIVE
WARRANTY



4 YEAR WARRANTY
ON HEATING
ELEMENT



7 YEAR PRODUCT
REPLACEMENT
WARRANTY*

FASTER



Incoloy Glass
Coated Heating
Element

SAFER



Fire Retardant
Power Cord

SAVES



High Density
PUF Insulation



Ferroglass Coated
Inner Container



High Working
Pressure
0.8 MPa



Whirlflow
Technology



Heavy Duty
Protective
Anode Rod






High Precision
Thermostat &
Cut Out



Temperature
setting knob



Dual Safety
Adapter



Model	A	B	C	D
BIANCA 6 L	352 mm	344 mm	301 mm	157 mm



CAPACITY : 6 L

COLOR : WHITE BLUE



2 YEAR
COMPREHENSIVE
WARRANTY



4 YEAR WARRANTY
ON HEATING
ELEMENT



7 YEAR PRODUCT
REPLACEMENT
WARRANTY*

FASTER



Incoloy Glass
Coated Heating
Element

SAFER



Fire Retardant
Power Cord

SAVES



High Density
PUF Insulation

LONG LIFE



Ferroglass Coated
Inner Container



High Working
Pressure
0.8 MPa



Whirlflow
Technology



Heavy Duty
Protective
Anode Rod






High Precision
Thermostat &
Cut Out



Temperature
setting knob



Dual Safety
Adapter



Model	A	B	C	D
PURO 6 L	271 mm	425 mm	258 mm	62 mm



CAPACITY : 6 L COLOR : WHITE BLUE



2 YEAR
COMPREHENSIVE
WARRANTY



4 YEAR WARRANTY
ON HEATING
ELEMENT



7 YEAR PRODUCT
REPLACEMENT
WARRANTY*

FASTER



Incoloy Glass
Coated Heating
Element

SAFER



Fire Retardant
Power Cord

SAVES



High Density
PUF Insulation

LONG LIFE



Feroglas Coated
Inner Container



High Working
Pressure
0.8 MPa



Whirlflow
Technology



Heavy Duty
Protective
Anode Rod





High Precision
Thermostat &
Cut Out



Temperature
setting knob



Dual Safety
Adapter



Model	A	B	C	D
FABIA 6 L	259 mm	412 mm	272 mm	163 mm

Instanio

Prime

ELECTRIC STORAGE WATER HEATER



CAPACITY : 6 L

COLOR : WHITE BLUE



2 YEAR
COMPREHENSIVE
WARRANTY



4 YEAR WARRANTY
ON HEATING
ELEMENT



7 YEAR PRODUCT
REPLACEMENT
WARRANTY*

FASTER



Incoloy Glass
Coated Heating
Element



Fire Retardant
Power Cord



High Density
PUF Insulation



Ferroglass Coated
Inner Container



High Working
Pressure
0.8 MPa



Whirlflow
Technology





Heavy Duty
Protective
Anode Rod



High Precision
Thermostat &
Cut Out



Dual Safety
Adapter



Model	A	B	C	D
INSTANIO PRIME 6 L	260 mm	457 mm	254 mm	70 mm

ENGINEERED FOR HARD WATER

*In case of Tank Leakage.

***ELECTRIC
INSTANTANEOUS
WATER HEATER***

Instanio

ELECTRIC INSTANTANEOUS WATER HEATER



CAPACITY : 5 L

COLOR : WHITE



2 YEAR
COMPREHENSIVE
WARRANTY



4 YEAR WARRANTY
ON HEATING
ELEMENT



7 YEAR WARRANTY
ON INNER
CONTAINER



Feroglas Coated
Inner Container



Incoloy Glass
Coated Heating
Element



Heavy Duty Protective
Anode Rod



High Working
Pressure
0.8 MPa



Bi-color LED
indicator



Whirlflow technology




Fire Retardant
Power Cord



3 Core 3 Pin
power cord



IPX4 protection



Model	A	B	C	D
INSTANIO 5 L	236 mm	455 mm	100 mm	254 mm

ENGINEERED FOR HARD WATER

Carlo

ELECTRIC INSTANTANEOUS WATER HEATER



CAPACITY : 5 L COLOR : WHITE



2 YEAR
COMPREHENSIVE
WARRANTY



2 YEAR WARRANTY
ON HEATING
ELEMENT



5 YEAR WARRANTY
ON INNER
CONTAINER



Heavy duty
Heating element



SS 304 L
Inner Tank



Bi-Color LED
Indicator



Fire Retardant
Power Cord





High Precision
Pre calibrated
thermostat



Rust & shock
proof outer body



0.65 MPa
High working
pressure



Model	A	B	C	D
CARLO 5 L	260 mm	456 mm	63 mm	258 mm



CAPACITY : 3 L

COLOR : WHITE BLUE



2 YEAR
COMPREHENSIVE
WARRANTY



3 YEAR WARRANTY
ON HEATING
ELEMENT



5 YEAR WARRANTY
ON INNER
CONTAINER



Vitreous enamel
coated inner
container



Incoloy glass
coated heating
element



Heavy Duty
Protective
Anode Rod



High Working
Pressure
0.8 MPa



Bi-Color LED
indicator




Fire Retardant
Power Cord



3 Core 3 Pin
molded plug



High precision pre
calibrated thermostat



Model	A	B	C	D
BIANCA 3 L	297 mm	336 mm	67 mm	229 mm

Instanio

PRIME

ELECTRIC INSTANTANEOUS WATER HEATER



CAPACITY : 3 L

COLOR : WHITE BLUE



YEAR
COMPREHENSIVE
WARRANTY



YEAR WARRANTY
ON HEATING
ELEMENT



YEAR WARRANTY
ON INNER
CONTAINER



Heavy duty
Heating element



Ferroglass Coated
Inner Container



Color
Changing
LED Indicator



Fire Retardant
Power Cord



High Precision
Pre calibrated
thermostat






Rust & shock
proof outer body




High Working
Pressure
0.8 MPa



Heavy Duty
Protective
Anode Rod



Model	A	B	C	D
INSTANIO PRIME 3 L	214 mm	352 mm	100 mm	219 mm



CAPACITY : 3 L COLOR : WHITE BROWN



2 YEAR
COMPREHENSIVE
WARRANTY



2 YEAR WARRANTY
ON HEATING
ELEMENT



5 YEAR WARRANTY
ON INNER
CONTAINER



Heavy duty
Heating element



SS 304 L
Inner Tank



Bi-Color LED
Indicator



Fire Retardant
Power Cord






High Precision
Pre calibrated
thermostat



Rust & shock
proof outer body



0.65 MPa
High working
pressure



Model	A	B	C	D
ZENO 3 L	184 mm	331 mm	180 mm	67 mm



CAPACITY : 1 L & 3 L COLOR : WHITE BLUE



2 YEAR
COMPREHENSIVE
WARRANTY



2 YEAR WARRANTY
ON HEATING
ELEMENT



5 YEAR WARRANTY
ON INNER
CONTAINER



Heavy duty
Heating element



SS 304 L
Inner Tank



Bi-Color LED
Indicator



Fire Retardant
Power Cord




High Precision
Pre calibrated
thermostat



Rust & shock
proof outer body



0.65 MPa
High working
pressure



Model	A	B	C	D
RUSH+ 1 L	180 mm	313 mm	66 mm	159 mm
RUSH+ 3 L	225 mm	373 mm	67 mm	180 mm

NOTE :

NOTE :

NOTE :



HAVELLS



TM

STELLAR

New Days , New Ways.

ZHGRF00014/SEP/25

* Conditions Apply.

M/s.STELLAR

Plot No- F220,Phase-8b,Industrial Area,Mohali(Pb)-160055

Email : stellar.pbchd@gmail.com

Website: www.stellar.ind.in

Customer Care No. +91-8556-8556-71

Join us on Facebook at <https://www.instagram.com/stellar.pbchd>
and share your ways to save the planet !

GSTin - 03HKAPK8247Q1ZL